



CAST STEEL GATE GLOBE AND CHECK VALVES - FLANGED AND BUTT WELDED END CONNECTION EFFECTIVE FROM 01-04-2024
DOCUMENT REF : LTVL/CSGGC BT/APR2024

COMPLYING STD	GATE	GLOBE	CHECK
DESIGN STD	API 600	BS 1873	BS 1868
FACE TO FACE	ASME B 16.10		
TESTING STD	API 598		
END CONNECTION - FLANGED	ASME B 16.5		
END CONNECTION - BUTT WELD	ASME B 16.25		

WCB -Trim 8 - FLANGED														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	113-T8/WCB	27,228	42,982	63,172	87,394	1,31,242	1,90,238	2,68,858	3,84,630	4,96,606	6,75,602	8,53,132	10,71,926
GATE	300	133-T8/WCB	28,786	53,526	76,382	1,39,450	1,95,414	2,98,922	4,02,988	6,62,998	8,64,798	12,02,684	14,89,686	22,45,614
GATE	600	163-T8/WCB	42,426	65,072	1,16,490	2,18,308	3,86,774	5,72,580	7,57,490	9,66,748	15,55,932	19,28,468	28,16,364	33,04,524
GLOBE	150	413-T8/WCB	42,186	64,170	80,122	1,34,216	2,14,836	3,89,042	5,45,648	7,89,742	10,82,120	x	18,30,424	26,69,876
GLOBE	300	433-T8/WCB	52,880	84,196	1,17,116	2,49,246	4,34,850	7,10,082	9,75,780	x	18,13,500	x	30,33,384	x
GLOBE	600	463-T8/WCB	60,372	1,17,650	2,24,508	3,92,884	8,07,094	13,23,058	16,17,922	24,80,118	32,43,714	42,87,038	45,87,832	1,09,34,802
CHECK	150	513-T8/WCB	20,348	35,984	47,924	72,442	1,25,226	1,91,578	2,69,960	3,39,016	4,73,186	5,54,698	7,79,942	12,06,888
CHECK	300	533-T8/WCB	26,186	58,862	63,638	1,02,948	1,68,010	2,37,964	3,28,860	4,66,664	5,89,846	7,62,892	9,72,432	14,65,098
CHECK	600	563-T8/WCB	35,946	57,162	84,402	1,67,964	2,75,562	4,06,072	6,11,132	6,73,766	9,24,952	x	15,08,800	24,61,462

WCB- Trim 5- FLANGED														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	113-T5/WCB	32,112	48,986	72,270	99,164	1,55,534	2,19,532	3,08,058	4,34,736	5,63,694	7,56,542	9,40,286	12,06,186
GATE	300	133-T5/WCB	33,670	60,344	84,522	1,50,064	2,19,928	3,28,256	4,30,338	7,11,132	9,26,378	12,69,484	15,85,748	23,82,272
GATE	600	163-T5/WCB	46,508	73,206	1,23,904	2,29,680	4,08,298	6,07,908	7,97,858	10,12,442	16,42,360	20,21,734	29,56,628	34,39,634
GLOBE	150	413-T5/WCB	44,164	66,104	84,368	1,36,592	2,34,134	3,89,548	5,95,174	8,26,016	11,10,180	x	21,81,508	29,05,840
GLOBE	300	433-T5/WCB	56,550	87,256	1,21,362	2,56,610	4,49,352	7,30,984	9,94,766	x	18,96,020	x	30,98,494	x
GLOBE	600	463-T5/WCB	63,968	1,19,590	2,29,430	3,98,602	8,21,660	13,46,230	16,28,184	23,92,412	33,38,420	43,47,598	46,30,538	1,10,17,324
CHECK	150	513-T5/WCB	22,082	38,456	51,988	81,518	1,30,806	2,06,244	2,82,870	3,66,832	5,01,644	5,89,452	8,32,152	12,58,800
CHECK	300	533-T5/WCB	28,022	62,060	67,020	1,12,084	1,79,746	2,52,416	3,52,366	4,95,030	6,12,382	7,94,430	10,13,134	15,17,010
CHECK	600	563-T5/WCB	37,174	59,850	84,976	1,75,286	2,88,640	4,14,122	6,24,742	6,98,510	9,55,446	x	15,52,214	25,48,626

WCB - Trim 12 - FLANGED														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	113-T12/WCB	29,510	47,924	74,552	1,03,502	1,48,192	2,11,270	2,96,178	4,20,338	5,45,880	7,40,510	9,42,056	11,81,120
GATE	300	133-T12/WCB	32,034	60,628	86,216	1,57,052	2,12,158	3,22,510	4,31,930	7,04,850	9,11,362	12,61,058	15,75,218	23,73,438
GATE	600	163-T12/WCB	47,020	76,990	1,26,518	2,39,490	4,06,098	6,07,592	8,02,348	10,52,548	16,41,356	20,46,860	29,97,690	35,09,914
GLOBE	150	413-T12/WCB	46,624	69,910	91,962	1,52,076	2,54,220	4,28,618	6,83,498	9,80,084	13,58,810	x	26,03,990	36,35,346
GLOBE	300	433-T12/WCB	58,326	91,890	1,32,198	2,63,264	4,74,416	8,26,306	13,53,284	x	24,86,306	x	43,44,842	x
GLOBE	600	463-T12/WCB	68,216	1,21,840	2,49,406	4,20,392	10,02,746	17,50,512	22,11,148	30,19,754	44,40,686	49,05,900	64,15,442	1,45,96,136
CHECK	150	513-T12/WCB	21,802	36,952	49,296	81,646	1,24,648	1,93,128	2,69,372	3,41,576	4,78,322	5,50,146	7,98,394	12,28,400
CHECK	300	533-T12/WCB	26,710	60,132	66,134	1,05,228	1,67,762	2,37,126	3,34,570	4,81,320	5,95,652	7,62,904	9,94,994	14,78,902
CHECK	600	563-T12/WCB	37,704	58,500	87,324	1,75,016	2,75,036	4,10,956	6,11,526	6,74,458	9,38,552	x	15,14,042	25,02,126

WCB - Trim 16- FLANGED														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	113-T16/WCB	34,392	55,106	83,568	1,07,268	1,63,386	2,31,578	3,26,822	4,62,030	5,93,148	7,91,044	9,95,538	12,66,424
GATE	300	133-T16/WCB	37,470	67,786	94,764	1,68,406	2,32,508	3,50,548	4,58,572	7,43,986	9,50,988	13,08,934	16,41,268	24,68,026
GATE	600	163-T16/WCB	51,212	82,500	1,33,932	2,45,704	4,19,816	6,43,544	8,43,852	10,87,372	17,01,680	21,30,502	30,56,960	36,33,774
GLOBE	150	413-T16/WCB	48,556	71,774	95,864	1,54,410	2,67,894	4,45,784	7,18,020	10,04,170	13,67,382	x	27,35,564	38,36,274
GLOBE	300	433-T16/WCB	60,846	94,968	1,36,616	2,75,410	4,89,650	8,44,536	13,67,362	x	25,89,766	x	43,99,474	x
GLOBE	600	463-T16/WCB	72,250	1,25,162	2,56,228	4,24,938	10,07,134	17,68,080	22,23,598	30,93,320	45,70,372	50,41,122	64,34,832	1,46,78,658
CHECK	150	513-T16/WCB	23,260	38,670	53,360	81,876	1,31,580	2,09,064	2,83,896	3,67,570	5,03,990	5,90,196	8,21,744	12,68,624
CHECK	300	533-T16/WCB	28,862	64,890	69,578	1,11,830	1,80,420	2,51,650	3,53,614	4,95,772	6,15,614	8,01,846	10,25,904	15,19,126
CHECK	600	563-T16/WCB	39,494	61,774	88,142	1,78,630	2,87,772	4,18,216	6,23,986	6,99,204	9,56,108	x	15,53,746	25,74,980

LCB - Trim 12 -FLANGED														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	113-T12/LCB	36,374	55,852	79,102	1,17,080	1,72,698	2,42,762	3,36,616	4,45,332	5,72,576	7,67,240	10,44,440	12,55,932
GATE	300	133-T12/LCB	39,624	71,916	1,02,512	1,73,660	2,45,078	3,62,738	4,93,724	7,75,264	10,14,186	13,67,714	17,99,230	27,13,852
GATE	600	163-T12/LCB	61,090	84,722	1,32,882	2,63,630	4,49,998	6,85,478	9,06,840	11,56,984	17,89,122	21,81,194	31,28,622	39,95,640
GLOBE	150	413-T12/LCB	49,188	84,914	1,05,282	1,74,422	2,85,466	4,47,432	7,20,218	10,90,272	14,15,896	x	26,62,324	37,45,412
GLOBE	300	433-T12/LCB	60,168	1,01,708	1,51,488	2,77,696	5,04,178	8,64,928	15,41,140	x	26,50,134	x	42,18,456	x
GLOBE	600	463-T12/LCB	85,876	1,50,098	2,83,714	5,08,466	10,67,568	19,22,448	25,04,056	31,56,358	41,56,908	50,10,246	65,70,220	x
CHECK	150	513-T12/LCB	22,778	39,416	55,474	91,180	1,43,250	2,04,812	2,94,230	3,90,424	5,07,030	5,99,676	8,40,214	13,71,756
CHECK	300	533-T12/LCB	29,422	58,952	81,860	1,23,758	1,96,982	2,75,388	3,98,312	5,09,462	6,72,822	8,81,294	10,74,212	18,97,958
CHECK	600	563-T12/LCB	43,086	61,702	96,230	1,76,900	2,99,916	4,59,936	6,45,652	7,51,262	11,22,344	x	16,17,178	25,64,034

CF8M- Trim 12 - FLANGED														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	113-T12/CF8M	59,458	97,694	1,41,964	2,59,454	3,75,332	5,67,158	8,08,056	10,42,902	13,14,350	17,65,230	23,79,062	29,26,314
GATE	300	133-T12/CF8M	65,742	1,55,390	2,33,400	4,17,542	6,07,492	9,01,044	12,37,622	18,65,688	24,22,648	32,57,876	42,01,132	66,09,092
GATE	600	163-T12/CF8M	1,05,824	1,86,786	3,10,716	6,28,326	9,95,032	16,36,044	21,48,922	26,85,056	40,79,956	51,25,666	74,83,040	98,01,898
GLOBE	150	413-T12/CF8M	77,024	1,30,094	1,89,224	3,23,474	5,36,712	9,11,902	13,70,188	21,14,362	29,20,972	x	47,83,798	68,50,336
GLOBE	300	433-T12/CF8M	99,346	1,61,354	2,76,254	5,23,874	9,75,814	15,66,208	25,08,738	x	42,62,788	x	72,90,768	x
GLOBE	600	463-T12/CF8M	1,35,540	2,64,536	4,81,484	8,75,140	17,30,800	31,16,692	40,34,542	53,33,128	69,81,614	90,06,798	1,16,78,916	x
CHECK	150	513-T12/CF8M	42,470	72,628	1,27,626	2,04,628	3,72,788	5,39,596	7,86,004	9,94,090	13,50,882	15,76,776	21,26,844	36,53,812
CHECK	300	533-T12/CF8M	55,740	1,16,024	1,73,372	3,30,068	5,28,370	7,42,618	10,69,118	13,74,190	17,92,514	23,57,218	27,84,788	50,24,638
CHECK	600	563-T12/CF8M	85,664	1,52,002	2,36,886	4,55,702	8,00,636	12,30,616	17,55,356	20,66,070	29,45,992	x	43,51,718	69,72,728

CF8 -Trim 12 - FLANGED														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	113-T12/CF8	50,114	79,444	1,17,782	2,09,918	3,03,494	4,37,164	6,26,868	8,24,446	10,77,828	14,33,544	18,95,970	23,32,146
GATE	300	133-T12/CF8	55,424	1,22,416	1,87,480	3,30,924	4,79,922	7,35,664	10,16,322	14,90,890	20,12,294	25,35,700	33,32,278	52,73,536
GATE	600	163-T12/CF8	89,578	1,52,776	2,59,258	5,04,454	8,67,692	12,91,644	17,27,044	21,73,196	32,55,334	41,37,734	62,94,710	77,53,876
GLOBE	150	413-T12/CF8	69,712	1,11,222	1,63,226	2,85,796	4,65,262	7,20,072	11,98,462	18,21,370	24,56,488	x	41,87,992	60,90,966
GLOBE	300	433-T12/CF8	86,438	1,44,688	2,44,598	4,45,162	7,93,928	13,23,644	22,79,554	x	38,62,894	x	64,21,330	x
GLOBE	600	463-T12/CF8	1,15,908	2,32,444	4,13,728	7,07,446	15,57,472	28,42,586	36,79,430	47,08,160	62,64,990	78,89,206	1,04,93,858	x
CHECK	150	513-T12/CF8	37,038	58,348	1,01,824	1,68,856	2,91,946	4,27,520	5,88,078	8,09,728	10,66,330	12,58,844	17,73,442	28,99,650
CHECK	300	533-T12/CF8	44,778	99,648	1,39,236	2,47,556	3,96,736	5,61,432	8,07,614	10,99,232	14,70,116	18,27,688	22,79,498	38,12,634
CHECK	600	563-T12/CF8	68,362	1,21,512	1,88,140	3,75,142	6,38,102	10,31,268	14,42,428	16,43,280	23,11,978	x	35,96,662	56,06,720

CF3 -Trim 12- FLANGED														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	113-T12/CF3	51,204	81,318	1,20,760	2,18,960	3,17,146	4,58,746	6,58,404	8,65,662	11,31,870	15,05,612	19,91,522	24,49,662
GATE	300	133-T12/CF3	56,742	1,27,774	1,96,214	3,47,144	5,03,366	7,73,790	10,70,444	15,69,756	21,18,018	26,68,808	35,06,268	55,55,534
GATE	600	163-T12/CF3	91,628	1,59,416	2,71,330	5,28,452	9,09,324	13,56,868	18,14,610	22,85,264	34,17,916	43,55,270	66,01,704	81,50,928
GLOBE	150	413-T12/CF3	71,174	1,13,524	1,69,466	2,98,354	4,85,570	7,51,448	12,51,182	18,98,506	25,64,952	x	43,55,326	63,44,090
GLOBE	300	433-T12/CF3	88,442	1,48,022	2,54,238	4,63,084	8,27,700	13,74,948	23,55,950	x	39,96,192	x	66,63,490	x
GLOBE	600	463-T12/CF3	1,19,350	2,40,574	4,27,228	7,36,824	16,09,536	29,33,954	37,97,800	48,64,706	64,71,488	81,69,684	1,08,22,006	x
CHECK	150	513-T12/CF3	38,124	60,086	1,07,162	1,77,852	3,08,546	4,51,556	6,21,878	8,55,402	11,27,826	13,30,436	18,77,342	30,71,360
CHECK	300	533-T12/CF3	46,144	1,02,924	1,46,724	2,61,442	4,18,836	5,93,350	8,53,784	11,60,918	15,54,602	19,32,768	24,12,226	40,21,490
CHECK	600	563-T12/CF3	70,408	1,27,850	1,98,434	3,95,938	6,74,820	10,89,674	15,24,234	17,39,156	24,42,234	x	38,06,098	59,30,494

CF3M -Trim 12 - FLANGED														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	113-T12/CF3M	56,658	90,686	1,35,656	2,55,622	3,72,756	5,45,076	7,84,552	10,30,524	13,48,036	17,93,884	23,73,732	29,19,722
GATE	300	133-T12/CF3M	63,342	1,49,328	2,31,372	4,12,024	5,98,148	9,26,294	12,86,930	18,85,220	25,40,922	32,01,238	42,02,232	66,83,526
GATE	600	163-T12/CF3M	1,01,884	1,86,104	3,19,838	6,24,442	10,77,072	16,17,758	21,64,874	27,33,532	40,68,242	52,25,414	77,81,364	97,27,246
GLOBE	150	413-T12/CF3M	78,486	1,25,032	1,94,426	3,48,594	5,66,804	8,76,950	14,62,062	22,07,050	29,98,806	x	50,24,668	73,56,584
GLOBE	300	433-T12/CF3M	98,456	1,64,688	2,92,802	5,34,772	9,62,784	15,80,162	26,61,526	x	45,29,384	x	76,32,134	x
GLOBE	600	463-T12/CF3M	1,33,934	2,73,090	4,81,232	8,54,340	18,17,792	32,99,430	42,71,284	54,90,882	72,73,196	92,44,846	1,20,84,448	x
CHECK	150	513-T12/CF3M	43,556	68,780	1,28,682	2,14,292	3,75,074	5,47,698	7,57,076	10,38,102	13,73,808	16,16,808	22,92,942	37,58,194
CHECK	300	533-T12/CF3M	52,978	1,19,298	1,76,838	3,17,150	5,07,460	7,21,020	10,38,460	14,07,662	18,92,542	23,53,084	29,43,136	48,24,748
CHECK	600	563-T12/CF3M	80,636	1,53,308	2,39,768	4,79,442	8,21,696	13,23,298	18,51,450	21,22,658	29,63,254	x	46,43,840	72,25,594

WCB - Trim 8 - BUTT WELD														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	116-T8/WCB	27,556	46,196	64,198	96,594	1,45,664	1,92,438	2,84,916	3,70,392	5,21,112	7,11,560	8,78,634	10,88,692
GATE	300	136-T8/WCB	31,600	55,592	74,088	1,41,550	1,85,142	2,60,460	3,70,364	5,85,616	7,85,254	11,03,572	13,27,518	21,12,388
GATE	600	166-T8/WCB	42,218	57,582	92,178	1,91,732	3,63,412	5,08,956	6,76,778	8,61,822	13,99,888	17,63,636	25,34,358	31,18,726
GLOBE	150	416-T8/WCB	45,092	65,324	85,246	1,36,058	2,30,374	3,93,188	5,53,636	x	x	x	x	x
GLOBE	300	436-T8/WCB	48,202	85,834	1,05,552	2,42,350	4,07,262	6,84,192	9,48,716	x	17,67,558	x	x	x
GLOBE	600	466-T8/WCB	73,640	1,18,870	2,04,464	3,56,242	x	12,82,964	x	23,37,400	30,89,294	42,46,006	x	x
CHECK	150	516-T8/WCB	21,460	34,410	38,604	76,512	1,11,086	1,86,668	2,58,410	x	4,36,416	x	x	x
CHECK	300	536-T8/WCB	28,074	44,944	56,058	93,520	1,49,930	2,06,612	2,87,914	-	5,44,818	x	x	12,62,160
CHECK	600	566-T8/WCB	34,028	44,886	67,064	1,42,606	2,34,770	3,55,710	5,11,630	6,30,052	x	x	x	x

WCB- Trim 5- BUTT WELD														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	116-T5/WCB	32,440	52,198	71,192	1,07,600	1,71,556	2,21,798	3,22,206	4,19,944	5,85,294	7,87,492	9,68,124	12,14,118
GATE	300	136-T5/WCB	36,484	61,594	81,082	1,52,260	2,09,554	2,86,192	3,97,714	6,32,400	8,45,644	11,70,372	14,20,066	22,48,654
GATE	600	166-T5/WCB	46,658	63,586	98,652	2,03,102	3,84,934	5,42,916	7,16,608	9,00,064	14,85,404	18,74,586	26,74,622	32,59,240
GLOBE	150	416-T5/WCB	46,198	67,256	89,494	1,42,570	2,50,290	4,00,472	6,03,308	x	x	x	x	x
GLOBE	300	436-T5/WCB	51,192	88,894	1,09,800	2,52,118	4,25,180	6,94,108	9,67,700	x	18,39,956	x	x	x
GLOBE	600	466-T5/WCB	77,238	1,20,810	2,13,188	3,61,800	x	12,99,364	x	23,37,822	31,51,824	43,06,566	x	x
CHECK	150	516-T5/WCB	23,216	37,030	43,324	85,096	1,18,366	2,01,288	2,70,692	3,78,940	4,64,872	x	x	x
CHECK	300	536-T5/WCB	29,944	48,430	59,090	1,03,260	1,62,820	2,21,066	3,10,610	x	5,73,028	x	x	13,14,072
CHECK	600	566-T5/WCB	35,256	47,972	68,940	1,49,690	2,45,652	3,74,742	5,30,950	6,62,282	x	x	x	x

WCB - Trim 12 -BUTT WELD														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	116-T12/WCB	29,838	50,196	70,700	1,11,896	1,63,746	2,13,512	3,03,938	4,09,974	5,61,702	7,78,322	9,69,946	12,00,618
GATE	300	136-T12/WCB	33,614	59,746	79,722	1,60,782	2,01,886	2,84,048	3,99,306	6,26,674	8,24,414	11,62,890	14,26,314	22,61,268
GATE	600	166-T12/WCB	46,686	65,836	1,02,206	2,12,912	3,82,736	5,43,630	7,22,074	9,27,538	14,72,352	18,78,886	27,10,362	33,23,464
GLOBE	150	416-T12/WCB	49,894	71,064	98,228	1,57,030	2,62,852	4,31,888	6,87,932	x	x	x	x	x
GLOBE	300	436-T12/WCB	53,390	90,852	1,16,706	2,58,074	4,50,304	8,03,500	13,26,218	x	24,39,556	x	x	x
GLOBE	600	466-T12/WCB	80,810	1,23,060	2,36,674	3,93,698	x	17,10,418	x	29,49,134	42,93,238	47,98,868	x	x
CHECK	150	516-T12/WCB	22,538	36,554	40,220	82,392	1,10,024	1,88,310	2,55,014	3,49,596	4,41,550	x	x	x
CHECK	300	536-T12/WCB	28,612	46,418	56,508	94,220	1,50,364	2,06,980	2,94,030	x	5,50,624	x	x	12,75,964
CHECK	600	566-T12/WCB	35,788	46,534	68,396	1,49,180	2,34,118	3,54,300	5,12,850	6,30,780	x	x	x	-

WCB - Trim 16 - BUTT WELD														
TYPE	CLASS	CAT NO	50	80	100	150	200	250	300	350	400	450	500	600
GATE	150	116-T16/WCB	34,722	56,200	79,250	1,16,738	1,77,324	2,33,910	3,41,368	4,46,914	6,09,856	8,22,640	10,24,440	12,75,504
GATE	300	136-T16/WCB	38,498	65,748	86,716	1,63,684	2,19,774	3,10,162	4,29,096	6,63,960	8,71,222	12,09,822	14,74,728	23,55,726
GATE	600	166-T16/WCB	51,266	71,838	1,08,586	2,19,126	3,96,452	5,77,188	7,61,182	9,61,298	15,45,274	19,79,114	27,72,292	34,47,740
GLOBE	150	416-T16/WCB	51,336	72,928	1,03,106	1,60,882	2,73,942	4,48,916	7,21,894	x	x	x	x	x
GLOBE	300	436-T16/WCB	55,796	93,840	1,20,994	2,68,760	4,65,112	8,25,636	13,40,298	-	25,17,094	x	x	x
GLOBE	600	466-T16/WCB	82,740	1,26,382	2,40,942	3,98,244	x	17,27,986	x	29,62,502	43,78,756	49,32,536	x	x
CHECK	150	516-T16/WCB	24,242	37,164	44,038	85,468	1,18,036	2,04,062	2,71,680	3,79,700	4,67,220	x	x	x
CHECK	300	536-T16/WCB	30,830	51,224	61,504	1,02,182	1,63,498	2,20,600	3,11,856	x	5,76,292	x	x	13,29,350
CHECK	600	566-T16/WCB	37,576	49,678	71,798	1,53,956	2,46,082	3,75,656	5,29,312	6,63,016	x	x	x	x

*Gate and Globe by Default Gear Unit Offering Range

Pressure Class	Gate	Globe
#150	16" & above	10" & above
#300	14" & above	6" & above
#600	8" & above	4" & above